Contents

Armstrong, R.A.: On the quantitative theory of reproductive effort in clonal plants: Refinements of theory, with evidence from goldenrods and mayapples 410
Bak, R.P.M., Borsboom, J.L.A.: Allelopathic interaction between a reef coelenterate and benthic algae 194
Bentley, B.L., Carpenter, E.J.: Direct transfer of newlyfixed nitrogen from free-living epiphyllous microorganisms to their host plant 52
Bilger, H.-W., Schreiber, U., Lange, O.L.: Determination of leaf heat resistance: comparative investigation of chlorophyll fluorescence changes and tissue necrosis methods 256
Borsboom, J.L.A., s. Bak, R.P.M. 194
Borsheim, K.Y.: Clearance rates of bacteria-sized particles by freshwater ciliates, measured with monodisperse fluorescent latex beads 286
Brooks, A., s. Langenheim, J.H., et al. 215
Bruyn, G.J. De, s. Driessen, G.J.J., et al. 13
Bryant, J.P., s. Fox, J.F. 128
Buchsbaum, R., Valiela, I., Swain, T.: The role of phenolic compounds and other plant constituents in feeding by Canada geese in a coastal marsh 343
Bullock, S.H.: Biomass and nutrient allocation in a neotropical dioecious palm 426
Butlin, R.K., Day, T.H.: The effect of larval competition on development time and adult size in the seaweed fly, *Coelopa frigida* 122
Carpenter, E.J., s. Bentley, B.L. 52
Carter, G.A., s. Smith, W.K., et al. 237
Carter, M.C., Sutherland, D., Dixon, A.F.G.: Plant structure and the searching efficiency of coccinellid larvae 394
Cooper, S.D.: The effects of trout on water striders in stream pools 376
Day, T.H., s. Butlin, R.K. 122
Detling, J.K., s. Ingham, R.E. 307
Dixon, A.F.G., s. Carter, M.C., et al. 394
Dow, D.D., Gill, B.J.: Environmental versus social factors as determinants of growth in nestlings of a communally breeding bird 370
Drake, B.G.: Light response characteristics of net CO_2 exchange in brackish wetland plant communities 263
Driessen, G.J.J., Raalte, A.Th. Van, Bruyn, G.J. De: Cannibalism in the red wood ant, *Formica polyctena* (Hymenoptera: formicidae) 13
Eadie, J.McA., s. Montgomerie, R.D., et al. 357
Edwards, M., s. Usher, M.B. 143
Ehleringer, J.R.: Intraspecific competitive effects on water relations, growth and reproduction in *Encelia farinosa* 153
Feig, Y.S., s. Pace, M.L., et al. 43
Ferrar, P.J., s. Langenheim, J.H., et al. 215
Findlay, R.H., s. Thistle, D., et al. 295
Findlay, S., Meyer, J.L., Smith, P.J.: Significance of bacterial biomass in the nutrition of a freshwater isopod *(Lirceus sp.)* 38
Fletcher, W.J.: Intraspecific variation in the population dynamics and growth of the limpet, *Cellana tramoserica* 110
Fox, J.F., Bryant, J.P.: Instability of the snowshoe hare and woody plant interaction 128
Gebauer, G., Melzer, A., Rehder, H.: Nitrate content and nitrate reductase activity in *Rumex obtusifolius L.* I. Differences in organs and diurnal changes 136
Gebauer, G., s. Melzer, A., et al. 380
Gill, B.J., s. Dow, D.D. 370
Gollan, T., s. Turner, N.C., et al. 338
Greer, D.H.: Seasonal changes in photosynthetic activity of snow tussocks (*Chionochloa* spp.) along an altitudinal gradient in Otago, New Zealand 271
Hadley, J.L., s. Smith, W.K., et al. 237
Hainsworth, F.R., Wolf, L.L., Mercier, T.: Pollination and pre-dispersal seed predation: net effects on reproduction and inflorescence characteristics in *Ipomopsis aggregata* 405
Hanrahan, S.A., s. McClain, E., et al. 314
Hansson, L.: Composition of cyclic and non-cyclic vole populations: On the causes of variation in individual quality among *Clethrionomys glareolus* in Sweden 199
Harder, L.D., s. Montgomerie, R.D., et al. 357
Hare, J.D., s. McClure, M.S. 185
Hashimoto, Y., Strain, B.R., Ino, T.: Dynamic behavior of CO_2 uptake as affected by light: system identification based on spectral analysis 159
Haukioja, E., s. Neuvonen, S. 71
Helversen, O. v., Reyer, H.-U.: Nectar intake and energy expenditure in a flower visiting bat 178
Herrera, C.M.: Seed dispersal and fitness determinants in wild rose: Combined effects of hawthorn, birds, mice, and browsing ungulates 386
Holbrook, S.J., s. Schmitt, R.J. 6
Ingham, R.E., Detling, J.K.: Plant-herbivore interactions in a North American mixed-grass prairie. III. Soil nematode populations and root biomass on *Cynomys ludovicianus* colonies and adjacent uncolonized areas 307
Ino, T., s. Hashimoto, Y., et al. 159
Jain, S., s. Ritland, K. 243
Jennersten, O.: Flower visitation and pollination efficiency of some North European butterflies 80
Jolls, C.L.: Contrasting resource allocation patterns in *Sedum lanceolatum* Torr.: Biomass versus energy estimates . . 57
Jones, M.B., Muthuri, F.M.: The diurnal course of plant water potential, stomatal conductance and transpiration in a papyrus (*Cyperus papyrus* L.) canopy 252
Krauss, B.R., s. Lanza, J. 423
Lange, O.L., s. Bilger, H.-W., et al. 256
Langenheim, J.H., Osmond, C.B., Brooks, A., Ferrar, P.J.: Photosynthetic responses to light in seedlings of selected Amazonian and Australian rainforest tree species . . . 215
Lanza, J., Krauss, B.R.: Detection of amino acids in artificial nectars by two tropical ants, *Leptothorax* and *Monomorium* 423
Leather, S.R.: Factors affecting pupal survival and eclosion in the pine beauty moth, *Panolis flammea* (D & S) . . . 75
Lee, L.W.: Environmentally controlled phenotypic plasticity of morphology and polypeptide expression in two populations of *Daphnia pulex* (Crustacea: cladocera) 207
Leonardson, L.: Does N_2 fixation meet the nitrogen requirements of heterocystous blue-green algae in shallow eutrophic lakes? 398
Marden, J.H.: Intrapopulation variation in nectar secretion in *Impatiens capensis* 418
McClain, E., Praetorius, R.L., Hanrahan, S.A., Seely, M.K.: Dynamics of the wax bloom of a seasonal namib desert tenebrionid, *Cauricara phalangium* (Coleoptera: Adesmiini) 314
McClure, M.S., Hare, J.D.: Foliar terpenoids in *Tsuga* species and the fecundity of scale insects 185
McNaughton, G.M., s. Smith, W.K., et al. 237
McNaughton, S.J., s. Ruess, R.W. 331
Melzer, A., Gebauer, G., Rehder, H.: Nitrate content and nitrate reductase activity in *Rumex obtusifolius* L. II. Responses to nitrate starvation and nitrogen fertilization 380
Melzer, A., s. Gebauer, G., et al. 136
Mercier, T., s. Hainsworth, F.R., et al. 405
Meyer, J.L., s. Findlay, S., et al. 38
Miller, G.L.: Seasonal changes in morphological structuring in a guild of benthic stream fishes 106
Montgomerie, R.D.: Nectar extraction by hummingbirds: response to different floral characters 229

Montgomerie, R.D., Eadie, J.McA., Harder, L.D.: What do foraging hummingbirds maximize? 357
Muthuri, F.M., s. Jones, MB. 252
Myers, J.H., s. Williams, K.S. 166
Neuvonen, S., Haukioja, E.: Low nutritive quality as defence against herbivores: induced responses in birch 71
Olson, R.K., s. Reiners, W.A. 320
Opzeeland, K. van, s. Vet, L.E.M. 171
Orcutt, J.D., Jr., Porter, K.G.: The synergistic effects of temperature and food concentration on life history parameters of *Daphnia* 300
Osmond, C.B., s. Langenheim, J.H., et al. 215
Pace, M.L., Porter, K., Feig, Y.S.: Life history variation within a parthenogenetic population of *Daphnia parvula* (Crustacea: Cladocera) 43
Porter, K., s. Pace, M.L., et al. 43
Porter, K.G., s. Orcutt, J.D., Jr. 300
Potvin, C., s. Simon, J.-P., et al. 145
Praetorius, R.L., s. McClain, E., et al. 314
Raalte, A.Th. Van, s. Driessen, G.J.J., et al. 13
Rehder, H., s. Gebauer, G., et al. 136
Rehder, H., s. Melzer, A., et al. 380
Reidenauer, J.A., s. Thistle, D., et al. 295
Reiners, W.A., Olson, R.K.: Effects of canopy components on throughfall chemistry: An experimental analysis . . 320
Reyer, H.-U., s. Helversen, O. v. 178
Rietsma, C.S., s. Valiela, I. 350
Ritland, K., Jain, S.: A comparative study of floral and electrophoretic variation with life history variation in *Limnanthes alba* (Limnanthaceae) 243
Roff, D.A.: The cost of being able to fly: a study of wing polymorphism in two species of crickets 30
Ruess, R.W., McNaughton, S.J.: Urea as a promotive coupler of plant-herbivore interactions 331
Sabelis, M.W., Schippers, P.: Variable wind directions and anemotactic strategies of searching for an odour plume 225
Schippers, P., s. Sabelis, M.W. 225
Schmid, B.: Niche width and variation within and between populations in colonizing species (*Carex flava* group) 1
Schmitt, R.J., Holbrook, S.J.: Gape-limitation, foraging tactics and prey size selectivity of two microcarnivorous species of fish 6
Schoener, A., Schoener, Th.W.: Experiments on dispersal: Short-term floatation of insular anoles, with a review of similar abilities in other terrestrial animals 289
Schoener, Th.W., s. Schoener, A. 289
Schreiber, U., s. Bilger, H.-W., et al. 256
Schulze, E.-D., s. Turner, N.C., et al. 338
Seely, M.K., s. McClain, E., et al. 314
Shy, E.: Habitat shift and geographical variation in North American tanagers (Thraupinae: *Piranga*) 281
Simon, J.-P., Potvin, C., Strain, B.R.: Effects of temperature and CO_2 enrichment on kinetic properties of phosphoenol-pyruvate carboxylase in two ecotypes of *Echinochloa crus-galli* (L.) Beauv., a C_4 weed grass species 145
Smith, P.J., s. Findlay, S., et al. 38
Smith, W.K., Young, D.R., Carter, G.A., Hadley, J.L., McNaughton, G.M.: Autumn stomatal closure in six conifer species of the Central Rocky Mountains 237
Stamp, N.E.: Effect of defoliation by checkerspot caterpillars (*Euphydryas phaeton*) and sawfly larvae (*Macrophya nigra* and *Tenthredo grandis*) on their host plants (*Chelone* spp.) 275
Stille, B.: The effect of hostplant and parasitoids on the reproductive success of the parthenogenetic gall wasp *Diplolepis rosae* (Hymenoptera, Cynipidae) 364
Strain, B.R., s. Hashimoto, Y., et al. 159
Strain, B.R., s. Simon, J.-P., et al. 145
Sutherland, D., s. Carter, M.C., et al. 394
Swain, T., s. Buchsbaum, R., et al. 343
Taplin, L.E.: Homeostasis of plasma electrolytes, water and sodium pools in the Estuarine Crocodile, *Crocodylus porosus*, from fresh, saline and hypersaline waters 63
Thistle, D., Reidenauer, J.A., Findlay, R.H., Waldo, R.: An experimental investigation of enhanced harpacticoid (Copepoda) abundances around isolated seagrass shoots . . 295
Turner, N.C., Schulze, E.-D., Gollan, T.: The responses of stomata and leaf gas exchange to vapour pressure deficits and soil water content. I. Species comparisons at high soil water contents 338
Usher, M.B., Edwards, M.: The terrestrial arthropods of the grass sward of Lynch Island, a specially protected area in Antarctica 143
Valiela, I., Rietsma, C.S.: Nitrogen, phenolic acids, and other feeding cues for salt marsh detritivores 350
Valiela, I., s. Buchsbaum, R., et al. 343
Vet, L.E.M., Opzeeland, K. van: The influence of conditioning on olfactory microhabitat and host location in *Asobara tabida* (Nees) and *A. rufescens* (Foerster) (Braconidae: Alysiinae) larval parasitoids of Drosophilidae . . . 171
Waldo, R., s. Thistle, D., et al. 295
White, T.C.R.: The abundance of invertebrate herbivores in relation to the availability of nitrogen in stressed food plants 90
Wiklund, C.: Egg-laying patterns in butterflies in relation to their phenology and the visual apparency and abundance of their host plants 23
Williams, K.S., Myers, J.H.: Previous herbivore attack of red alder may improve food quality for fall webworm larvae 166
Wolf, L.L., s. Hainsworth, F.R., et al. 405
Young, D.R., s. Smith, W.K., et al. 237

Indexed in Current contents